

LEED CREDIT CONTRIBUTION

VPI ESD STATIC CONTROL TILE, PRT TILE, VINYL WALL BASE, RUBBER WALL BASE AND RELATED VPI ADHESIVES

IEQ Credit 4.3 – Low-emitting Materials: Flooring Systems

In compliance with this requirement and CA DHS 01350 testing, VPI tiles emit ZERO detectable VOC's and may contribute to IEQ Credit 4.3.

IEQ Credit 4.1 – Low-emitting Materials: Adhesives and Sealants

Per this requirement, tile adhesives must have a VOC Limit of 50 g/l. Per specified testing methods, VPI tile and wall base adhesives emit ZERO detectable VOC's and may contribute to IEQ Credit 4.1.

VPI 150 (0 g/l calculated VOC's) VPI 100 (0 g/l calculated VOC's)
VPI 165 (0 g/l calculated VOC's) VPI 520 (0 g/l calculated VOC's)
VPI 600 (0 g/l calculated VOC's)

MR Credit 4.1 and 4.2 – Recycled Content: (post-consumer + ½ pre-consumer)

Per this requirement and with a 10.4% pre-consumer recycled content VPI may contribute toward MR Credits 4.1 and 4.2

MR Credits 5.1 and 5.2: Regional Materials: Extracted, Harvested & Manufactured Regionally

VPI ESD Static Control Tile, PRT Tile and Wall Base is manufactured in Sheboygan, WI, 53081 and can contribute toward MR Credits 5.1 and 5.2 when applied per the geography specified in this specification at a 500 mile radius.