



VPI Corporation

3123 S. 9th Street
P.O. Box 451
Sheboygan, WI 53082-0451, U.S.A.

920-458-4664 • Fax 920-458-1368
www.vpiflooring.com

LEED Credits – Wall Base & Adhesives

VPI Wall Base can contribute towards the following credits:

IEQ Credit 4.3 – Low-emitting Materials: Flooring Systems

Option 2 under this credit in the LEED 2009 component of LEED v3 accepts all flooring elements meeting the requirements of the California Department of Health Services Standard Practice for the testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers. VPI Wall Base achieved a zero detectable VOC result in this test (CA DHS 01350).

IEQ Credit 4.1 – Low-emitting Materials: Adhesives and Sealants

Cove base adhesives must have a VOC Limit of 50 g/l. VPI #600 meets this limit with zero calculated VOC.

MR Credits 4.1, 4.2: Recycled Content: (post-consumer + ½ pre-consumer)

Our darker colors wall base (most of our colors) currently has 40% pre-consumer recycled content. Our lighter colors have 16% pre-consumer content

MR Credits 5.1, 5.2: Regional Materials: Extracted, Harvested & Manufactured Regionally

Our wall base is manufactured in Sheboygan WI 53081. Our wall base contains 40% limestone extracted in Presque Isle, Michigan and 4% kaolin clay extracted in Sandersville, Georgia.

