



VPI Corporation

3123 S. 9th Street
P.O. Box 451
Sheboygan, WI 53082-0451, U.S.A.

920-458-4664 • Fax 920-458-1368
www.vpiflooring.com

LEED Credits – Vinyl Tile & Adhesives

VPI Tile can contribute towards the following credits:

IEQ Credit 4.3 – Low-emitting Materials: Flooring Systems

Option 2 under this credit in the LEED 2009 component of LEED v3 accepts all flooring elements meeting the requirements of the California Department of Health Services Standard Practice for the testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers. VPI Tile achieved a zero detectable VOC result in this test (CA DHS 01350).

IEQ Credit 4.1 – Low-emitting Materials: Adhesives and Sealants

Vinyl tile adhesives must have a VOC Limit of 50 g/l. VPI #150 (0 calculated VOC), #160 (0 calculated VOC), #100 (0 calculated VOC), and #225 (44 g/l VOC) meet this requirement.

MR Credits 4.1, 4.2: Recycled Content: (post-consumer + ½ pre-consumer)

Our tile currently has no pre-consumer or post-consumer recycled content.

MR Credits 5.1, 5.2: Regional Materials: Extracted, Harvested & Manufactured Regionally

Our tile is manufactured in Sheboygan WI 53081.
Per this Credit, regional materials must constitute at least 10% (5.1) or 20% (5.2) of all the project materials to obtain the credit.

Our tile contains 58% limestone extracted in Quincy Illinois

