



## MATERIAL SAFETY DATA SHEET

### SECTION 1: IDENTIFICATION OF PRODUCT

**TRADE NAME:** TPR (Rubber)/Vinyl Alloy Installation Accessories  
**PRODUCT NUMBER:** (ACC = Product, xx = Profile, xx = Color Code)  
**WHMIS CLASS:** NOT CONTROLLED  
**DESCRIPTION:** TPR (Rubber)/Vinyl Alloy  
**PRODUCT USE:** CARPET & FLOOR COVERING ACCESSORIES  
**TRANSPORT:** DOT: Not Regulated  
**HMIS CODE:** HEALTH (0) FIRE (0) REACTIVITY (0)  
SPECIFIC (0)  
0: Minimal 1: Light 2: Moderate 3: High  
4: Dangerous

**SUPPLIER:** VPI Corporation  
3123 South 9<sup>th</sup> Street  
P.O. Box 451  
Sheboygan, WI 53082-0451  
Phone: (800) 874-4240  
**EMERGENCY PHONE NUMBER:** CHEMTREC (800) 424-9300

### SECTION 2: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	# CAS	%	T.L.V.	LD50
NONE				

### SECTION 3: PHYSICAL PROPERTIES

**APPEARANCE AND ODOR:** Flexible TPR/Vinyl profile extrusions – characteristic odor  
**BOILING POINT (°C):** N/A  
**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.6 (Approx.)  
**VAPOR DENSITY (Air=1):** N/A  
**MELTING POINT (°C):** N/D  
**EVAPORATION RATE:** N/A  
**SOLUBILITY IN WATER (%):** Essentially insoluble  
**VOLATILE MATTER (% Vol.):** N/D  
**VAPOUR PRESSURE (mm of Hg):** N/A  
**PH:** N/A

### SECTION 4: FIRE AND EXPLOSION HAZARD DATA

**FLAMMABLE:** YES ( ) NO ( x )

**IF YES, IN WHICH CONDITIONS:**

**FLASH POINT (°C):** N/D  
**METHOD:** N/D  
**AUTO-IGNITION TEMPERATURE (°C):** Excess 600°F

**FLAMMABLE LIMITS (% VOL.IN AIR):** LOWER LIMIT: N/D UPPER LIMIT: N/D

**EXTINGUISHING MEDIA:** WATER SPRAY (x) WATER FOG ( )  
CARBON DIOXIDE (x) FOAM ( )  
DRY CHEMICAL (x) OTHERS ( )

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus and protective equipment.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Hydrogen Chloride Gas liberated in combustion.

### SECTION 5: REACTIVITY DATA

**STABILITY:** UNSTABLE ( ) STABLE (x)  
**CONDITIONS TO AVOID:** None  
**HAZARDOUS POLYMERIZATION:** MAY OCCUR ( ) WILL NOT OCCUR (x)  
**CONDITIONS TO AVOID:** None known  
**INCOMPATIBILITY (materials to avoid):** None known  
WATER ( ) BASE ( )  
OXIDIZING AGENTS ( ) ACID ( )  
CORROSIVE ( ) OTHERS ( )

**HAZARDOUS DECOMPOSITION PRODUCTS:** May emit oxides of carbon, sulfur and normal hydrocarbons.

### SECTION 6: PREVENTIVE MEASURES

**VENTILATION:** When heated provide adequate ventilation to remove smoke and fumes from work area.  
**RESPIRATORY PROTECTION:** None required with adequate ventilation.  
**EYE PROTECTION:** Safety glasses.  
**HAND PROTECTION:** Gloves.  
**OTHER PROTECTIVE EQUIPMENT:** None  
**HANDLING:** Practice good personal hygiene.  
**STORAGE:** N/A

### SECTION 7: SPILL OR LEAK PROCEDURES

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** Material may be swept, shoveled or vacuumed into containers for reuse or disposal. Use NIOSH approved respiratory equipment where dust is possible.  
**WASTE DISPOSAL METHOD:** Sanitary landfill or incineration in accordance with Federal, State, or local regulations.  
**OTHER INFORMATION:**

## SECTION 8: HEALTH HAZARD DATA

<b>ABSORPTION ROUTE:</b>	SKIN	( )	EYES	( )
	INHALATION	( )	INGESTION	( )
<b>EFFECTS OF OVEREXPOSURE:</b>	The ingredients listed in Section 2 are incorporated into the product and will not be released. They are provided for information. No acute effect expected.			
<b>SKIN:</b>	Contact not expected to be harmful.			
<b>EYES:</b>	Not expected to be harmful.			
<b>INHALATION:</b>	Not expected to be harmful.			
<b>INGESTION:</b>	N/A			

## SECTION 9: FIRST AID PROCEDURES

<b>SKIN:</b>	Wash with soap and water.
<b>EYES:</b>	Flush with water and remove the dirt particles.
<b>INHALATION:</b>	Move the person to fresh air, give artificial respiration if necessary.
<b>INGESTION:</b>	Call a physician.

## SECTION 10: PREPARATION INFORMATION

**PREPARED BY:** Robin J Nesst

**REVISION DATE:** September 13, 2005

VPI Corporation has compiled the information and recommendations contained in this Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for himself what safety measures are necessary to safely use this product, either alone or in combination with other products.

N/A: Not applicable

N/D: Not determined

N/E: Not established



VPI Corporation, 3123 S.9th Street, PO Box 451, Sheboygan, Wisconsin 53082-0451 U.S.A.

Phone: (920) 458-4664 – Fax: (920) 458-1368 - Customer Service: (800) 874-4240

Email: [floor@vpiflooring.com](mailto:floor@vpiflooring.com) Website: [www.vpiflooring.com](http://www.vpiflooring.com)