



MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF PRODUCT

TRADE NAME: VPI Adhesive Tape
PRODUCT NUMBER: VPI AS-S, AS-M, AS-L (xxx= product, x = width)
WHMIS CLASS: NOT CONTROLLED
DESCRIPTION: MODIFIED POLYACRYLATE
PRODUCT USE: STAIR COVERING ADHESIVE
TRANSPORT: ADHESIVE, containing a flammable liquid, CLASS 3, UN 113, P.G. III
(not applicable for ground transportation of container < 454L)

HMS CODE:

HEALTH	(0)	FIRE	(0)	REACTIVITY	(0)
SPECIFIC	(0)				
0: Minimal		1: Light		2: Moderate	3: High
4: Dangerous					

SUPPLIER: VPI Corporation
3123 South 9th Street
P.O. Box 451
Sheboygan, WI 53082-0451
Phone: (800) 874-4240
EMERGENCY PHONE NUMBER: CHEMTREC (800) 424-9300

SECTION 2: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	# CAS	%	T.L.V.	LD50
NONHAZARDOUS				

SECTION 3: PHYSICAL PROPERTIES

APPEARANCE AND ODOR: Tacit, brown silicone paper release paper covered with reinforced adhesive. Odor free.

BOILING POINT (°C): > 130

SPECIFIC GRAVITY (H₂O=1): N/A

VAPOR DENSITY (Air=1): N/A

MELTING POINT (°C): N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER (%): Not soluble.

VOLATILE MATTER (% Vol.): N/A

VAPOUR PRESSURE (mm of Hg): N/A

PH: N/A

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE: YES () NO (x)
IF YES, IN WHICH CONDITIONS:
FLASH POINT (°C): > 200
METHOD: N/D
AUTO-IGNITION TEMPERATURE (°C): N/D
FLAMMABLE LIMITS (% VOL.IN AIR):
LOWER LIMIT: N/D **UPPER LIMIT:** N/D
EXTINGUISHING MEDIA:
WATER SPRAY (x) WATER FOG ()
CARBON DIOXIDE () FOAM (x)
DRY CHEMICAL (x) OTHERS ()
SPECIAL FIRE FIGHTING PROCEDURES:
None
UNUSUAL FIRE AND EXPLOSION HAZARDS:
None

SECTION 5: REACTIVITY DATA

STABILITY: UNSTABLE () STABLE (x)
CONDITIONS TO AVOID: None
HAZARDOUS POLYMERIZATION: MAY OCCUR () WILL NOT OCCUR (x)
CONDITIONS TO AVOID: Uncontrolled mix with amines.
INCOMPATIBILITY (materials to avoid): None known.
WATER () BASE ()
OXIDIZING AGENTS (x) ACID ()
CORROSIVE () OTHERS (x)
Reducing agents.
HAZARDOUS DECOMPOSITION PRODUCTS:
N/D

SECTION 6: PREVENTIVE MEASURES

VENTILATION: Use in well ventilated areas.
RESPIRATORY PROTECTION: None required.
EYE PROTECTION: None required.
HAND PROTECTION: None required. For sensitive skin neoprene gloves or nitrile glove.
OTHER PROTECTIVE EQUIPMENT: None required.
HANDLING: Practice good personal hygiene.
STORAGE: Store at room temperature (20° C). Not affected by refrigeration. Stable to freeze/thaw.

SECTION 7: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: N/A
WASTE DISPOSAL METHOD: Dispose of in accordance with local, state and federal environmental regulations.

SECTION 8: HEALTH HAZARD DATA

ABSORPTION ROUTE:	SKIN	(x)	EYES	()
	INHALATION	()	INGESTION	(x)
EFFECTS OF OVEREXPOSURE:	N/A			
SKIN:	N/D			
EYES:	N/D			
INHALATION:	N/D			
INGESTION:	N/D			
CARCINOGENIC:	NO			
TERATOGENIC:	NO			
MUTAGENIC:	N/D			

SECTION 9: FIRST AID PROCEDURES

SKIN:	Wash affected skin with soap and water.
EYES:	N/D
INHALATION:	N/A
INGESTION:	N/A

SECTION 10: PREPARATION INFORMATION

REVISION DATE: September 27, 2005 ASP

VPI Corporation has compiled the information and recommendations contained in this Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for himself what safety measures are necessary to safely use this product, either alone or in combination with other products.

N/A: Not applicable N/D: Not determined
N/E: Not established



VPI Corporation, 3123 S.9th Street, PO Box 451, Sheboygan, Wisconsin 53082-0451 U.S.A.
Phone: (920) 458-4664 – Fax: (920) 458-1368 - Customer Service: (800) 874-4240
Email: floor@vpiflooring.com Website: www.vpiflooring.com